

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

1-107 (Cancelled).

108. (Currently Amended) A cosmetic composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in the organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises a ~~at least one~~ first block and a ~~at least one~~ second block of different glass transition temperatures (Tg),

wherein the ~~at least one~~ first and ~~at least one~~ second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the ~~at least one~~ first block and at least one constituent monomer of the ~~at least one~~ second block,

wherein the at least one constituent monomer of the ~~at least one~~ first block differs from the at least one constituent monomer of the ~~at least one~~ second block, the intermediate segment is a random copolymer block, and the ~~at least one~~ first block of the polymer is ~~chosen from~~:

a) a block with a Tg of greater than or equal to 40°C, and the second block is

b) a block with a Tg of less than or equal to 20°C,

~~c) a block with a Tg of between 20 and 40°C, and~~

~~the at least one second block is chosen from a category a), b) or c) different from the at least one first block~~

wherein the first block is derived from at least one monomer chosen from:

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$


wherein R_1 is chosen from linear and branched unsubstituted alkyl groups

comprising from 1 to 4 carbon atoms, and from C_4 to C_{12} cycloalkyl groups;

- acrylates of formula $\text{CH}_2 = \text{CH-COOR}_2$

wherein R_2 is chosen from C_4 to C_{12} cycloalkyl groups; and

- (meth)acrylamides of formula:



where R_7 and R_8 , which are identical or different, are chosen from hydrogen atoms and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or alternatively R_7 is a H atom and R_8 is a 1,1-dimethyl-3-oxobutyl group and R' is chosen from H and methyl,

wherein the second block is derived from at least one monomer chosen from:

- acrylates of formula $\text{CH}_2 = \text{CHCOOR}_3$,

wherein R_3 is chosen from linear and branched C_1 to C_{12} unsubstituted alkyl groups, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$,

wherein R_4 is chosen from linear and branched C_6 to C_{12} unsubstituted alkyl groups;

- vinyl esters of formula $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

wherein R_5 is chosen from linear and branched C_4 to C_{12} alkyl groups;

- C₄ to C₁₂ alkyl vinyl ethers; and

- N-(C₄ to C₁₂ alkyl) acrylamides,

wherein the intermediate block does not comprise acrylates or methacrylates comprising a COOR side chain in which R comprises an intercalated heteroatom chosen from O, N and S,

wherein the first and the second blocks are incompatible in the organic liquid medium, and

wherein the at least one film-forming ethylenic linear block polymer is non-elastomeric.

109. (Currently Amended) A cosmetic composition comprising an organic liquid medium, at least one aqueous phase, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in the aqueous phase,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises a ~~at least one~~ first block and a ~~at least one~~ second block of different glass transition temperatures (T_g),

wherein the ~~at least one~~ first and ~~at least one~~ second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the ~~at least one~~ first block and at least one constituent monomer of the ~~at least one~~ second block,

wherein the at least one constituent monomer of the ~~at least one~~ first block differs from the at least one constituent monomer of the ~~at least one~~ second block, the intermediate segment is a random copolymer block, and the ~~at least one~~ first block of the polymer is ~~chosen from~~:

a) a block with a Tg of greater than or equal to 40°C, and the second block is

b) a block with a Tg of less than or equal to 20°C,

c) ~~a block with a Tg of between 20 and 40°C, and~~

~~the at least one second block is chosen from a category a), b) or c) different from~~
~~the at least one first block~~

wherein the first block is derived from at least one monomer chosen from:


- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein R_1 is chosen from linear and branched unsubstituted alkyl groups
comprising from 1 to 4 carbon atoms, and from C_4 to C_{12} cycloalkyl groups;

- acrylates of formula $\text{CH}_2 = \text{CH-COOR}_2$

wherein R_2 is chosen from C_4 to C_{12} cycloalkyl groups; and

- (meth)acrylamides of formula:



where R_7 and R_8 , which are identical or different, are chosen from hydrogen atoms
and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or
alternatively R_7 is a H atom and R_8 is a 1,1-dimethyl-3-oxobutyl group and R' is chosen
from H and methyl,

wherein the second block is derived from at least one monomer chosen from:

- acrylates of formula $\text{CH}_2 = \text{CHCOOR}_3$,

wherein R_3 is chosen from linear and branched C_1 to C_{12} unsubstituted alkyl
groups, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$,

wherein R_4 is chosen from linear and branched C_6 to C_{12} unsubstituted alkyl groups;

- vinyl esters of formula $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

wherein R_5 is chosen from linear and branched C_4 to C_{12} alkyl groups;

- C_4 to C_{12} alkyl vinyl ethers; and

- N-(C_4 to C_{12} alkyl) acrylamides,

wherein the intermediate block does not comprise acrylates or methacrylates comprising a COOR side chain in which R comprises an intercalated heteroatom chosen from O, N and S,

wherein the first and the second blocks are incompatible in the organic liquid medium, and

wherein the at least one film-forming ethylenic linear block polymer is non-elastomeric.

110. (Cancelled).

111. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer is an ethylenic polymer obtained from aliphatic ethylenic monomers comprising a carbon-carbon double bond and at least one ester group -COO- or amide group -CON-.

112. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer is not soluble at an amount of active substance of at least 1% by weight in water or in a mixture of water and linear or branched lower monoalcohols comprising 2 to 5 carbon atoms, without a change

in pH, at ambient temperature (25°C).

113. - 114. (Cancelled)

115. (Currently Amended) The cosmetic composition according to claim 108, wherein the intermediate segment has a glass transition temperature between the glass transition temperatures of the ~~at least one~~ first and the ~~at least one~~ second blocks.

116. - 120. (Cancelled)

121. (Currently Amended) The cosmetic composition according to claim ~~[[119]]108~~, wherein the ~~at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40°C is~~ first block comprises at least one monomer chosen from methyl methacrylate, isobutyl (meth)acrylate, and isobornyl (meth)acrylate.

122. - 123. (Cancelled)

124. (Currently Amended) The cosmetic composition according to claim ~~[[122]]108~~, wherein the second block comprises at least one monomer ~~at least one monomer whose corresponding homopolymer has a glass transition temperature less than or equal to 20°C is~~ chosen from alkyl acrylates wherein the alkyl chain comprises from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

125. - 129. (Cancelled)

130. (Currently Amended) The cosmetic composition according to claim ~~[[129]]108~~, wherein the ~~at least one~~ first block is a copolymer ~~comprising at least one monomer such that the corresponding homopolymer has a glass transition temperature greater than or equal to 40°C.~~

131. - 132. (Cancelled)

133. (Currently Amended) The cosmetic composition according to claim 108, wherein the ~~at least one~~ first block is present in an amount ranging from 20% to 90% by weight, relative to the total weight of the polymer.

134. (Currently Amended) The cosmetic composition according to claim 133, wherein the ~~at least one~~ first block is present in an amount ranging from 50% to 70% by weight, relative to the total weight of the polymer.

135. (Cancelled)

136. (Currently Amended) The cosmetic composition according to claim ~~[[135]]108~~, wherein the ~~at least one~~ second block is a homopolymer ~~comprising at least one monomer such that the corresponding homopolymer has a glass transition temperature less than or equal to 20°C.~~

137. (Cancelled)

138. (Cancelled)

139. (Currently Amended) The cosmetic composition according to claim 108, wherein the ~~at least one~~ second block ~~with a T_g less than or equal to 20°C~~ is present in an amount ranging from 5% to 75% by weight relative to the total weight of the polymer.

140. (Currently Amended) The cosmetic composition according to claim 139, wherein the ~~at least one~~ second block ~~with a T_g less than or equal to 20°C~~ is present in an amount ranging from 25% to 45% by weight relative to the total weight of the polymer.

141. - 158. (Cancelled)

159. (Currently Amended) The cosmetic composition according to claim 108, wherein at least one of the ~~at least one~~ first block and the ~~at least one~~ second block comprises at least one additional monomer chosen from:

-ethylenically unsaturated monomers comprising at least one carboxylic or sulphonic acid function;

- ethylenically unsaturated monomers comprising at least one tertiary amine function;

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_6$

wherein R_6 is chosen from linear and branched alkyl groups comprising from 1 to 4 carbon atoms, the alkyl group being substituted by at least one substituent chosen from hydroxyl groups and halogen atoms chosen from Cl, Br, I and F;

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_9$,

wherein R_9 is chosen from linear and branched C_6 to C_{12} alkyl groups, the alkyl group being substituted by at least one substituent chosen from halogen atoms chosen from Cl, Br, I and F; and

- acrylates of formula $\text{CH}_2 = \text{CHCOOR}_{10}$,

wherein R_{10} is chosen from linear and branched C_1 to C_{12} alkyl groups substituted by at least one substituent chosen from hydroxyl groups and halogen atoms chosen from Cl, Br, I and F, or R_{10} is a C_1 to C_{12} alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit from 5 to 30 times, or R_{10} is a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units

and

wherein the ethylenically unsaturated monomers comprising at least one silicon atom are chosen from methacryloxypropyltrimethoxysilane and methacryloxy-propyltris(trimethylsiloxy)silane.

160. - 162. (Cancelled)

163. (Currently Amended) The cosmetic composition according to claim 159, wherein each of the ~~at least one~~ first and the ~~at least one~~ second blocks comprises at least one additional monomer chosen from acrylic acid, (meth)acrylic acid, and trifluoroethyl methacrylate.

164. (Currently Amended) The cosmetic composition according to claim 159, wherein each of the ~~at least one~~ first and the ~~at least one~~ second blocks comprises at least one monomer chosen from esters of (meth)acrylic acid and optionally the at least one additional monomer.

165. (Cancelled)

166. (Currently Amended) The cosmetic composition according to claim 159, wherein the at least one additional monomer is present in an amount ranging from 1% to 30% by weight of the total weight of the ~~at least one~~ first and/or the ~~at least one~~ second blocks.

167. (Cancelled)

168. (Currently Amended) The cosmetic composition according to claim 167, wherein the difference between the glass transition temperatures (T_g) of the ~~at least one~~ first and the ~~at least one~~ second blocks is greater than 40°C.

169. (Cancelled)

170. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index ranging from 2.8 to 6.

171. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer has a weight-average

mass (Mw) of less than or equal to 300 000.

172. (Previously Presented) The cosmetic composition according to claim 171, wherein the weight-average mass (Mw) ranges from 35 000 to 200 000.

173. (Previously Presented) The cosmetic composition according to claim 171, wherein the weight-average mass (Mw) ranges from 45 000 to 150 000.

174. (Previously Presented) The cosmetic composition according to claim 171, wherein the weight-average mass (Mw) is less than or equal to 70 000.

175. (Previously Presented) The cosmetic composition according to claim 174, wherein the weight-average mass (Mw) ranges from 10 000 to 60 000.

176. (Previously Presented) The cosmetic composition according to claim 175, wherein the weight-average mass (Mw) ranges from 12 000 to 50 000

177. (Previously Presented) The cosmetic composition according to claim 108, wherein the composition comprises from 0.1% to 60% by weight of polymer active substance.

178. (Previously Presented) The cosmetic composition according to claim 177, wherein the composition comprises from 10% to 40% by weight of polymer active substance.

179. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film former is a film-forming polymer which is soluble in the organic liquid medium.

180. (Previously Presented) The cosmetic composition according to claim 179, wherein the at least one film former is a fat-soluble film-forming polymer.

181. (Previously Presented) The cosmetic composition according to claim 180,

wherein the fat-soluble film-forming polymer is chosen from the fat-soluble, amorphous homopolymers and copolymers of olefins, of cycloolefins, of butadiene, of isoprene, of styrene, of vinyl ethers, esters or of amides, and of (meth)acrylic acid esters and amides comprising a linear, branched or cyclic C₄₋₅₀ alkyl group.

182. (Withdrawn) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from homopolymers and copolymers comprising monomers chosen from isooctyl (meth)acrylate, isononyl (meth)acrylate, 2-ethylhexyl (meth)acrylate, lauryl (meth)acrylate, isopentyl (meth)acrylate, n-butyl (meth)acrylate, isobutyl (meth)acrylate, methyl (meth)acrylate, tert-butyl (meth)acrylate, tridecyl (meth)acrylate, stearyl (meth)acrylate, and mixtures thereof.

183. (Previously Presented) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from amorphous and fat-soluble polycondensates.

184. (Previously Presented) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from amorphous and fat-soluble polysaccharides comprising alkyl (ether or ester) side chains.

185. (Previously Presented) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer bears fluoro groups.

186. (Previously Presented) The cosmetic composition according to Claim 185, wherein the fat-soluble film-forming polymer bearing fluoro groups is chosen from alkyl (meth)acrylate/perfluoroalkyl (meth)acrylate copolymers.

187. (Previously Presented) The cosmetic composition according to Claim 180, wherein the fat-soluble film-forming polymer is chosen from polymers and copolymers

resulting from the polymerization or copolymerization of an ethylenic monomer comprising at least one ethylenic bond.

188. (Withdrawn) The cosmetic composition according to claim 187, wherein the polymer and copolymer resulting from the polymerization or copolymerization of an ethylenic monomer are chosen from polystyrene/copoly(ethylene/butylene)s.

189. (Withdrawn) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from polymers comprising a non-silicone organic skeleton grafted with monomers comprising a polysiloxane.

190. (Withdrawn) The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from silicone polymers grafted with non-silicone organic monomers.

191. (Previously Presented) The cosmetic composition according to claim 108, wherein the at least one film former is a film-forming polymer which is dispersible in the organic liquid medium.

192. (Previously Presented) The cosmetic composition according to claim 191, wherein the organic liquid medium comprises at least one oil, in which the film former is dispersible, and wherein the film former is in the form of a non-aqueous dispersion of polymer particles.

193. (Withdrawn) The cosmetic composition according to Claim 109, wherein the at least one film former is a film-forming polymer which is dispersible in the aqueous phase.

194. (Withdrawn) The cosmetic composition according to Claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is chosen from

polyurethanes, polyurethane-acrylics, polyurethane-polyvinylpyrrolidones, polyester-polyurethanes, polyether-polyurethanes, polyureas, polyurea/polyurethanes, and mixtures thereof.

195. (Withdrawn) The cosmetic composition according to Claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is an aliphatic, cycloaliphatic or aromatic polyurethane copolymer, or a polyurea/polyurethane or polyurea copolymer comprising:

- at least one block of linear or branched aliphatic and cycloaliphatic and/or aromatic polyester origin, and/or
- at least one block of aliphatic and/or cycloaliphatic and/or aromatic polyether origin, and/or
- at least one substituted or unsubstituted, branched or unbranched silicone block and/or
- at least one block comprising fluoro groups.

196. (Previously Presented) The cosmetic composition according to claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is chosen from polyesters, polyesteramides, fatty-chain polyesters, polyamides and epoxy ester resins.

197. (Previously Presented) The cosmetic composition according to Claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is chosen from acrylic polymers, acrylic copolymers and vinyl polymers.

198. (Previously Presented) The cosmetic composition according to Claim 108, wherein the at least one film former is present in an amount ranging from 2% to 60% by

weight of dry compound relative to the total weight of the composition.

199. (Previously Presented) The cosmetic composition according to Claim 108, wherein the at least one film former is present in an amount ranging from 2% to 30% by weight of dry compound relative to the total weight of the composition.

200. (Previously Presented) The cosmetic composition according to claim 108, further comprising at least one colorant chosen from water-soluble dyes and pulverulent colorants .

201. (Previously Presented) The cosmetic composition according to claim 108, wherein the composition is in a form chosen from a suspension, dispersion, solution, gel, emulsion cream, paste, mousse, a vesicle dispersion, a two-phase lotion, a multi-phase lotion, a spray, powder, paste, a stick and a cast solid.

202. (Previously Presented) The cosmetic composition according to claim 108, wherein the composition is in anhydrous form.

203. (Previously Presented) The cosmetic composition according to claim 108, wherein the composition is in a form chosen from a composition for making up or caring for keratin materials, a lip makeup product, an eye makeup product, a complexion makeup product, a nail makeup product.

204. (Currently Amended) A composition for coating keratin fibers, comprising an organic liquid medium, at least one aqueous phase, at least one film-forming ethylenic linear block polymer and at least one other film former soluble or dispersible in the aqueous phase,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises a ~~at least one~~ first block

and a ~~at least one~~ second block of different glass transition temperatures (T_g),

wherein the ~~at least one~~ first and ~~at least one~~ second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the ~~at least one~~ first block and at least one constituent monomer of the ~~at least one~~ second block,

wherein the at least one constituent monomer of the ~~at least one~~ first block differs from the at least one constituent monomer of the ~~at least one~~ second block, the intermediate segment is a random copolymer block, and the ~~at least one~~ first block of the polymer is ~~chosen from~~:

a) a block with a T_g of greater than or equal to 40°C , and the second block is

b) a block with a T_g of less than or equal to 20°C ,

c) ~~a block with a T_g of between 20 and 40°C , and~~

~~the at least one second block is chosen from a category a), b) or c) different from the at least one first block~~

wherein the first block is derived from at least one monomer chosen from:


- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein R_1 is chosen from linear and branched unsubstituted alkyl groups comprising from 1 to 4 carbon atoms, and from C_4 to C_{12} cycloalkyl groups;

- acrylates of formula $\text{CH}_2 = \text{CH-COOR}_2$

wherein R_2 is chosen from C_4 to C_{12} cycloalkyl groups; and

- (meth)acrylamides of formula:



where R_7 and R_8 , which are identical or different, are chosen from hydrogen atoms and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or alternatively R_7 is a H atom and R_8 is a 1,1-dimethyl-3-oxobutyl group and R' is chosen from H and methyl,

wherein the second block is derived from at least one monomer chosen from:

- acrylates of formula $CH_2 = CHCOOR_3$,

wherein R_3 is chosen from linear and branched C_1 to C_{12} unsubstituted alkyl groups, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula $CH_2 = C(CH_3)-COOR_4$,

wherein R_4 is chosen from linear and branched C_6 to C_{12} unsubstituted alkyl groups;

- vinyl esters of formula $R_5-CO-O-CH = CH_2$

wherein R_5 is chosen from linear and branched C_4 to C_{12} alkyl groups;

- C_4 to C_{12} alkyl vinyl ethers; and

- N-(C_4 to C_{12} alkyl) acrylamides,

wherein the intermediate block does not comprise acrylates or methacrylates comprising a COOR side chain in which R comprises an intercalated heteroatom chosen from O, N and S,

wherein the first and the second blocks are incompatible in the organic liquid medium, and

wherein the at least one film-forming ethylenic linear block polymer is non-elastomeric.

205. (Previously Presented) The composition according to claim 204, wherein

the at least one film former is a film-forming polymer dispersible in the aqueous phase.

206. (Previously Presented) The composition according to Claim 205, wherein the film-forming polymer dispersible in the aqueous phase is chosen from polyurethanes, polyurethane-acrylics, polyurethane-polyvinylpyrrolidones, polyester-polyurethanes, polyether-polyurethanes, polyureas, polyurea/polyurethanes, and mixtures thereof.

207. (Previously Presented) The composition according to claim 204, further comprising at least one wax.

208. (Previously Presented) The composition according to claim 204, further comprising at least one surfactant.

209. (Previously Presented) The composition according to claim 204, further comprising at least one second film former chosen from water-soluble polymers.

210. (Previously Presented) The composition according to claim 209, wherein the water-soluble polymers are chosen from cationic cellulose derivatives and/or optionally modified polymers of natural origin .

211. (Previously Presented) The composition according to claim 204, further comprising a colorant.

212. (Previously Presented) The composition according to claim 204, wherein the composition is in the form of a mascara.

213. (Currently Amended) A cosmetic kit comprising:

a) a container delimiting at least one compartment, the container being closed by a closing element; and

b) a composition disposed inside the compartment, the composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free from

styrene units, and at least one other film former which is soluble or dispersible in the organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises a at least one first block and at least one a second block of different glass transition temperatures (T_g),

wherein the ~~at least one first and at least one second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,~~

wherein the at least one constituent monomer of the ~~at least one first block differs from the at least one constituent monomer of the at least one second block, the intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:~~

- a) a block with a T_g of greater than or equal to 40°C, and the second block is
- b) a block with a T_g of less than or equal to 20°C,
- c) ~~a block with a T_g of between 20 and 40°C, and~~

~~the at least one second block is chosen from a category a), b) or c) different from the at least one first block~~

wherein the first block is derived from at least one monomer chosen from:


- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein R₁ is chosen from linear and branched unsubstituted alkyl groups comprising from 1 to 4 carbon atoms, and from C₄ to C₁₂ cycloalkyl groups;

- acrylates of formula $\text{CH}_2 = \text{CH-COOR}_2$

wherein R₂ is chosen from C₄ to C₁₂ cycloalkyl groups; and

- (meth)acrylamides of formula:



where R_7 and R_8 , which are identical or different, are chosen from hydrogen atoms and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or alternatively R_7 is a H atom and R_8 is a 1,1-dimethyl-3-oxobutyl group and R' is chosen from H and methyl,

wherein the second block is derived from at least one monomer chosen from:

- acrylates of formula $\text{CH}_2 = \text{CHCOOR}_{3,1}$

wherein R_3 is chosen from linear and branched C_1 to C_{12} unsubstituted alkyl groups, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_{4,1}$

wherein R_4 is chosen from linear and branched C_6 to C_{12} unsubstituted alkyl groups;

- vinyl esters of formula $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

wherein R_5 is chosen from linear and branched C_4 to C_{12} alkyl groups;

- C_4 to C_{12} alkyl vinyl ethers; and

- N-(C_4 to C_{12} alkyl) acrylamides,

wherein the intermediate block does not comprise acrylates or methacrylates comprising a COOR side chain in which R comprises an intercalated heteroatom chosen from O, N and S,

wherein the first and the second blocks are incompatible in the organic liquid medium, and

wherein the at least one film-forming ethylenic linear block polymer is non-elastomeric.

214. (Previously Presented) The cosmetic kit according to Claim 213, wherein the container is formed, at least partly, of at least one thermoplastic material.

215. (Previously Presented) The cosmetic kit according to Claim 213, wherein the container is formed, at least partly, of at least one non-thermoplastic material.

216. (Previously Presented) The cosmetic kit according to claim 213, wherein in the closed position of the container, the closing element is screwed onto the container.

217. (Previously Presented) The cosmetic kit according to claim 213, wherein in the closed position of the container, the closing element is coupled to the container other than by screwing.

218. (Previously Presented) The cosmetic kit according to claim 213, wherein the composition is substantially at atmospheric pressure inside the compartment.

219. (Previously Presented) The cosmetic kit according to claim 213, wherein the composition is pressurized inside the container.

220. (Currently Amended) A method of making up or caring for keratin materials, comprising the application to the keratin materials of a cosmetic composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in the organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a

polydispersity index of greater than or equal to 2.5 and comprises a ~~at least one~~ first block and a ~~at least one~~ second block of different glass transition temperatures (T_g),

wherein the ~~at least one~~ first and ~~at least one~~ second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the ~~at least one~~ first block and at least one constituent monomer of the ~~at least one~~ second block,

wherein the at least one constituent monomer of the ~~at least one~~ first block differs from the at least one constituent monomer of the ~~at least one~~ second block, the intermediate segment is a random copolymer block, and the ~~at least one~~ first block of the polymer is chosen from:

- a) a block with a T_g of greater than or equal to 40°C , and the second block is
- b) a block with a T_g of less than or equal to 20°C ,
- c) ~~a block with a T_g of between 20 and 40°C , and~~

~~the at least one second block is chosen from a category a), b) or c) different from~~
the at least one first block

wherein the first block is derived from at least one monomer chosen from:

- methacrylates of formula $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$


wherein R_1 is chosen from linear and branched unsubstituted alkyl groups

comprising from 1 to 4 carbon atoms, and from C_4 to C_{12} cycloalkyl groups;

- acrylates of formula $\text{CH}_2 = \text{CH-COOR}_2$

wherein R_2 is chosen from C_4 to C_{12} cycloalkyl groups; and

-(meth)acrylamides of formula:



where R₇ and R₈, which are identical or different, are chosen from hydrogen atoms and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or alternatively R₇ is a H atom and R₈ is a 1,1-dimethyl-3-oxobutyl group and R' is chosen from H and methyl,

wherein the second block is derived from at least one monomer chosen from:

- acrylates of formula CH₂ = CHCOOR₃,

wherein R₃ is chosen from linear and branched C₁ to C₁₂ unsubstituted alkyl groups, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula CH₂ = C(CH₃)-COOR₄,

wherein R₄ is chosen from linear and branched C₆ to C₁₂ unsubstituted alkyl groups;

- vinyl esters of formula R₅-CO-O-CH = CH₂

wherein R₅ is chosen from linear and branched C₄ to C₁₂ alkyl groups;

- C₄ to C₁₂ alkyl vinyl ethers; and

- N-(C₄ to C₁₂ alkyl) acrylamides,

wherein the intermediate block does not comprise acrylates or methacrylates comprising a COOR side chain in which R comprises an intercalated heteroatom chosen from O, N and S,

wherein the first and the second blocks are incompatible in the organic liquid medium, and

wherein the at least one film-forming ethylenic linear block polymer is
non-elastomeric.